

# Contents

Nucleic Acids Research

Volume 15 number 6 March 25, 1987

## MOLECULAR BIOLOGY

<b>Properties of a U1 RNA enhancer-like sequence</b> G.Ciliberto, F.Palla, G.Tebb, I.W.Mattaj and L.Philipson	2403
<b>Messenger RNA stability in <i>Saccharomyces cerevisiae</i>: the influence of translation and poly(A) tail length</b> T.C.Santiago, A.J.E.Bettany, I.J.Purvis and A.J.P.Brown	2417
<b>23S Ribosomal RNA mutations in halobacteria conferring resistance to the anti-80S ribosome targeted antibiotic anisomycin</b> H.Hummel and A.Böck	2431
<b>The sequence motifs that are involved in SV40 enhancer function also control SV40 late promoter activity</b> E.May, F.Omili, M.Ernoult-Lange, M.Zenke and P.Chambon	2445
<b><i>Xenopus tropicalis</i> U6 snRNA genes transcribed by Pol III contain the upstream promoter elements used by Pol II dependent U snRNA genes</b> A.Krol, P.Carbon, J.-P.Ebel and B.Appel	2463
<b>Transcripts within the replication origin, <i>oriC</i>, of <i>Escherichia coli</i></b> M.-A.Schauzu, C.Kücherer, R.Kölling, W.Messer and H.Lother	2479
<b>Molecular cloning and characterization of rat estrogen receptor cDNA</b> S.Koike, M.Sakai and M.Muramatsu	2499
<b>Nucleotide sequence analysis of alpha-amylase and thiol protease genes that are hormonally regulated in barley aleurone cells</b> R.F.Whittier, D.A.Dean and J.C.Rogers	2515
<b>Characterization of a human 'midisatellite' sequence</b> Y.Nakamura, C.Julier, R.Wolff, T.Holm, P.O'Connell, M.Leppert and R.White	2537
<b>20-Hydroxyecdysone regulates cytoplasmic actin gene expression in <i>Drosophila</i> cultured cells</b> J.L.Couderc, L.Hilal, M.L.Sobrier and B.Dastugue	2549
<b>Discrete high molecular weight RNA transcribed from the long interspersed repetitive element L1Md</b> J.P.Dudley	2581
<b>The length but not the sequence of the polyoma virus late leader exon is important for both late RNA splicing and stability</b> G.R.Adami and G.G.Carmichael	2593
<b>Mono- through hexanucleotide composition of the <i>Escherichia coli</i> genome: a Markov chain analysis</b> G.J.Phillips, J.Arnold and R.Ivarie	2611
<b>The effect of codon usage on the oligonucleotide composition of the <i>E. coli</i> genome and identification of over- and underrepresented sequences by Markov chain analysis</b> G.J.Phillips, J.Arnold and R.Ivarie	2627
<b>Mapping of DNA markers close to the fragile site on the human X chromosome at Xq27.3</b> M.Patterson, S.Kenrick, S.Thibodeau, K.Faulk, M.G.Mattei, J.-F.Mattei and K.E.Davies	2639

# Contents

(continued)

---

<b>Nucleotide sequence and expression of the cloned gene of bacteriophage SP6 RNA polymerase</b> H.Kotani, Y.Ishizaki, N.Hiraoka and A.Obayashi	2653
<b>Activity of a <i>Streptomyces</i> transcriptional terminator in <i>Escherichia coli</i></b> Z.Deng, T.Kieser and D.A.Hopwood	2665
<b>Charons 36 to 40: multi enzyme, high capacity, recombination deficient replacement vectors with polylinkers and polystuffers</b> I.S.Dunn and F.R.Blaettner	2677
<b>The human kappa deleting element and the mouse recombinating segment share DNA sequence homology</b> K.A.Siminovitch, M.W.Moore, J.Durdik and E.Selsing	2699
<b>Identification of an Epstein-Barr virus-specific desoxyribonuclease gene using complementary DNA</b> C.X.Zhang, G.Decaussin, M.de Turenne Tessier, J.Daillie and T.Ooka	2707
<b>A cellular protein binds to a conserved sequence in the adenovirus type 2 enhancer</b> P.Barrett, L.Clark and R.T.Hay	2719
<b>Defining the binding site of <i>Xenopus</i> transcription factor IIIA on 5S RNA using truncated and chimeric 5S RNA molecules</b> P.J.Romanuk, I.L.de Stevenson and H.-H.A.Wong	2737
<b>The complete nucleotide sequence of the <i>glnALG</i> operon of <i>Escherichia coli</i> K12</b> J.Miranda-Ríos, R.Sánchez-Pescador, M.Urdea and A.A.Covarrubias	2757
<b>ENZYMOLOGY</b>	
<b>Aggregation of DNA by analogs of spermidine; enzymatic and structural studies</b> K.S.Srivenugopal, D.E.Wemmer and D.R.Morris	2563
<b>FOR THE RECORD</b>	
<b>Complete variable region sequence of a nonfunctionally rearranged kappa light chain transcribed in the nonsecretor P3-X63-Ag8.653 myeloma cell line</b> R.Strohal, G.Kroemer, G.Wick and R.Kofler	2771
<b>Consensus sequences of the <i>Rattus norvegicus</i> B1- and B2 repeats</b> J.T.den Dunnen and J.G.G.Schoenmakers	2772
<b>The nucleotide sequence of the 5S ribosomal RNA of <i>Actinia equina</i> and <i>Sepia officinalis</i></b> L.Hendriks, R.De Baere, A.Vandenbergh and R.De Wachter	2773
<b>Nucleotide sequence of the gamma chain gene of rat fibrinogen: conserved intronic sequences</b> J.G.Morgan, N.J.Holbrook and G.R.Crabtree	2774
<b>Two transcriptional start sites found in the promoter region of <i>Escherichia coli</i> glutamine permease operon, <i>glnHPQ</i></b> T.Nohno and T.Saito	2777

---

# Contents (continued)

---

<b>Hybrid pUC vectors for addition of new restriction enzyme sites to the ends of DNA fragments</b>	2778
R.Kay and J.McPherson	
<b>Sequencing refractory GC rich regions in plasmid DNA</b>	2779
C.Carlberg, R.Quaas, U.Hahn and B.Wittig	
<b>Identification and DNA sequence of an interspersed repetitive DNA element in the genome of the miniature swine</b>	2780
D.S.Singer, L.J.Parent and R.Ehrlich	
<b>Nucleotide sequence of the coding region of two actin genes in <i>Bombyx mori</i></b>	2781
N.Mounier, J.Gaillard and J.-C.Prudhomme	
<b>RFLP REPORTS</b>	
<b>Human LDL receptor gene: two ApaLI RFLPs</b>	2782
E.Leitersdorf and H.H.Hobbs	
<b>A single copy subclone, p1-101, from cosmid 3-3B, defines three RFLPs on 10pter-q23 [HGM9 no. D10S4]</b>	2783
M.Litt, O.T.Mueller, T.B.Shows and R.Litt	
<b>Two RFLPs identified by an anonymous sequence (D7S19) (pTS119) from chromosome 7</b>	2784
T.Starr, S.Wood, D.C.Riddell and J.L.Hamerton	
<b>Author index</b>	2785

---